



## Alkyl Nitrites

### Rtx®-BAC1 & Rtx®-BAC2



Columns: Rtx®-BAC1, 30m, 0.53mm ID, 3.0µm (cat.# 18001)  
Rtx®-BAC2, 30m, 0.53mm ID, 2.0µm (cat.# 18000)

Sample: 1.0mL headspace sample

Oven temp.: 40°C (hold 5 min.) to 240°C @ 5°C/min.

Inj./det. temp.: 240°C

Carrier gas: helium

Linear velocity: 65cm/sec.



## Anesthetics

### Rtx®-BAC1 & Rtx®-BAC2

(headspace analysis)

Rtx®-BAC1, 30m, 0.53mm ID, 3.0µm (cat.# 18001)

Rtx®-BAC2, 30m, 0.53mm ID, 2.0µm (cat.# 18000)



Sample: 1.0mL headspace sample

Oven temp.: 40°C (hold 5 min.) to 240°C @ 5°C/min.

Inj./det. temp.: 240°C

Carrier gas: helium

Linear velocity: 65cm/sec.

1. isoflurane  
2. enflurane  
3. halothane  
4. methoxyflurane