

# Vacuum Pumps

mini and micro  
Vacuum & Vacuum-Pressure

**TD20W**

**650mmHG  
100psi**

**4Kg  
255x354x170mm**



## & Air Compressors

**Oil-Free / Silent**

**DA5001/4C**

**4-Liter Tank  
4.0CFM/ 115Liter/min  
50db  
80/120psi**

**24Kg  
420x190x440mm**

**220VAC 50Hz**



## micro Pumps DCv

**MP60/5**

**continuous 4000hours  
5liter/min  
Max Vac -60mmHg**



**other models & Sizes available**

# Vacuum Pumps

# & Air Compressors

**mini and micro  
Vacuum & Vacuum-Pressure**

**Oil-Free / Silent**

ITEM NO	DESCRIPTION	PICTURE
TD-20	<p>Power: 1/6 HP            Vacuum Rate: 600mmHG            Air input per min./litres: 20~23L/min            Fitting: manometer; air let-in valve;            handy carrying handle            Connections: with connection 1/8" BSP            Net Weight: 4.0KG            Dimension: 245X135X170mm</p>	
TD-20W	<p>Power: 1/6 HP            Speed: 1450/1700r.p.m            Air output per min./liter: 20~23L/min            Maximum pressure: 7bar(100PSI)            Vacuum degree: 600mmHG            Air hose: HS-B1; Dia. 8 braid air hose,            length 550MM.            Net Weight: 3.7KG            Dimension: 25.5X13.5X17 CM</p>	
TD-30	<p>Power: 1/4 HP            Speed: 1450/1700r.p.m            Air output per min./liter: 35~40L/min            Vacuum degree: 650mmHG            Net Weight: 5.5KG            Dimension: 33X13.5X20.5 CM</p>	
MP60/5	<p>Model: MP60/5            Rated Voltage: 12V            Rated Current: 650mA            Motor Type: Brushless            Noise: 60 dB (30 cm away)            Fluid Applied: Air            Outlet Port O. D. :6.5 mm            Vacuum Air flow: 5L/min            Maximum Pressure: 180Kpa            Maximum vacuum: -60Kpa            Weight: 280G            Dimensions: 82*38*62mm            Life: 4000 hours            Working Temperature: 0-40°C</p>	

# Vacuum Pumps

# & Air Compressors

mini and micro  
Vacuum & Vacuum-Pressure

Oil-Free / Silent

ITEM NO	DESCRIPTION	PICTURE
DA5001/4C	<p>Silent Oil Free Air Compressor                      Model: DA5001/4C                      Power: 0.55Kw(3/4HP)                      Air flow: 115L/min(4.0CFM)                      Air Displacement: 60L/min(2.1CFM)at 4Bar (60Psi)                      Noise:50dB (A)/40"                      Tank: 4L                      Pressure: 8Bar(120Psi)                      Dimension: 420x190x440mm (L*W*H)                      Weight: 24.00KG (with metal cover)</p>	
DA5001/9	<p>Silent Oil Free Air Compressor                      Model: DA5001/9                      Power: 0.55Kw(3/4HP)                      Air flow: 115L/min(4.0CFM)                      Air Displacement: 60L/min(2.1CFM)at 4Bar (60Psi)                      Noise:52dB (A)/40"                      Tank: 9L                      Pressure: 8Bar(120Psi)                      Dimension: 360*360*465mm (L*W*H)                      Weight: 20.60KG</p>	
DA7001/6	<p>Silent Oil Free Air Compressor                      Model:DA7001/6                      Power: 0.75Kw(1.0HP)                      Air flow: 152L/min(5.4CFM)                      Air Displacement: 80L/min(2.8CFM)at 4Bar (60Psi)                      Noise:53dB (A)/40"                      Tank: 6L                      Pressure: 8Bar(120Psi)                      Dimension: 530*260*510mm (L*W*H)                      Weight: 17.00KG</p>	
DA7001/9	<p>Silent Oil Free Air Compressor                      Model:DA7001/9                      Power: 0.75Kw(1.0HP)                      Air flow: 152L/min(5.4CFM)                      Air Displacement: 80L/min(2.8CFM)at 4Bar (60Psi)                      Noise:53dB (A)/40"                      Tank: 9L                      Pressure: 8Bar(120Psi)                      Dimension: 380*380*475mm (L*W*H)                      Weight: 21.00KG</p>	
DA7001/15	<p>Silent Oil Free Air Compressor                      Model:DA7001/15                      Power: 0.75Kw(1.0HP)                      Air flow: 152L/min(5.4CFM)                      Air Displacement: 80L/min(2.8CFM)at 4Bar (60Psi)                      Noise:53dB (A)/40"                      Tank: 15L                      Pressure: 8Bar(120Psi)                      Dimension: 490*280*520mm (L*W*H)                      Weight: 20.60KG</p>	

# Vacuum Pumps & Air Compressors

mini and micro  
Vacuum & Vacuum-Pressure  
Oil-Free / Silent

ITEM NO	DESCRIPTION	PICTURE	WARRANTY
MP68/7	Model: MP68/7 Rated Voltage: 12V Rated Current: 700mA Noise: 65 dB (30 cm away) Fluid Applied: Air Outlet Port O. D. :6.5 mm Vacuum Air flow: 7L/min Maximum Pressure: 180Kpa Maximum vacuum: -68Kpa Weight: 280G Dimensions: 82*38*62mm Working Temperature: 0-40°C		8000 HOURS
			4000 HOURS
MP75/8	Model: MP75/8 Rated Voltage: 12V Rated Current: 800mA Noise: 65 dB (30 cm away) Fluid Applied: Air Outlet Port O. D. : 6.5mm Vacuum Air flow: 8L/M Maximum Pressure: 240Kpa Maximum Vacuum: -75Kpa Weight: 280G Dimensions: 82*38*62mm Working Temperature: 0-40°C		8000 HOURS
			4000 HOURS
MP60/5	Model: MP60/5 Rated Voltage: 12V Rated Current: 650mA Noise: 60 dB (30 cm away) Fluid Applied: Air Outlet Port O. D. :6.5 mm Vacuum Air flow: 5L/min Maximum Pressure: 180Kpa Maximum vacuum: -60Kpa Weight: 280G Dimensions: 82*38*62mm Life: 4000 hours Working Temperature: 0-40°C		8000 HOURS
			4000 HOURS
MP70/6	Model: MP70/6 Rated Voltage: 6V Rated Current: 500mA Noise: 65 dB (30 cm away) Fluid Applied: Air Outlet Port O. D. : 6.5mm Vacuum Air flow: 6L/M Maximum Pressure: 1.0 Bar Maximum Vacuum: -70Kpa Weight: 190G Dimensions: 50*30*743mm Life: 4000 hours Working Temperature: 0-40°C		8000 HOURS
			4000 HOURS