



# New! What's for 2008

## GC Columns

- 0.10mm ID Capillary Columns  
*Rxi®-1ms, Rxi®-5ms, Rxi®-5Sil MS, Rxi®-17*
- Rxi®-5Sil MS Columns
- Rxi®-XLB Columns
- Rtx®-Biodiesel TG Columns
- MXT®-Biodiesel TG Columns
- Rtx®-CLPesticides Column & 0.32mm ID Column Kit
- Stx™-CLPesticides Column & 0.32mm ID Column Kit
- Rt™-QSPLIT Columns
- D3606 Application Packed Column Set

## GC Accessories

### Supplies for Agilent GCs

- Inlet & FID Maintenance Kits
- PTV On-Column Liners
- 4mm Gooseneck Precision™ Liners
- Dual Vespel® Ring Cross-Disk Inlet Seals
- Oven Flapper Assemblies
- Replacement ECD Fused Silica Liners & Micro ECD Liners
- Parking Post

### Supplies for Varian GCs

- Drilled Uniliner® Inlet Liners for Varian 1078/1079

### Supplies for PerkinElmer GCs


- Drilled Uniliner® Inlet Liners for PerkinElmer PSS
- Zero Dilution Outer Liners for PerkinElmer PSS

### Supplies for Thermo Scientific GCs

- Septa Holder Kits
- Septum Cap for Split/Splitless Injector
- Adapters for Capillary Columns
- Fixing Nut for Capillary Column for Split/Splitless Injector
- Gold-Plated Liner Cap for Split/Splitless Injector
- Nut for Terminal Fitting

### Other Supplies

- ETP Electron Multipliers
- Hydrogen Generators with Universal plug sets
- Super-Clean™ Filter Base Plates w/stainless steel fittings
- Electronic Crimpers/Decappers w/universal plug sets
- Norm-Ject® Plastic Syringes



Chromatography Products

[www.restek.com](http://www.restek.com)

# HPLC Columns

- Pinnacle™ DB 1.9µm Small Particle Columns  
*C18, Silica, PFP Propyl, Biphenyl, Aqueous C18, Cyano, C18 and IBD Phases*
- pHidelity® C18 5µm Columns
- LC Capillary Columns
- Pinnacle™ DB Biphenyl, 3µm & 5µm Columns
- Pinnacle™ DB PFP Propyl, 3µm & 5µm Columns
- Pinnacle™ DB Silica, 3µm Columns
- Pinnacle™ DB Aqueous C18, 3µm & 5µm Columns
- Pinnacle™ II PAH, 4µm Columns
- Trident HPLC Guard Cartridges  
*Pinnacle™ DB Aqueous C18, Pinnacle™ DB Biphenyl,  
Pinnacle™ DB PFP Propyl*



# HPLC Accessories

- Waste Overflow Indicator for HPLC Systems
- Bottle Head Assembly for Agilent HPLC Systems
- Helium Tubing for Agilent HPLC Systems
- Injector Lubricant for Agilent HPLC Systems
- Preventative Maintenance Kit for Waters 515 Pump
- Membrane Filters, Polypropylene & Nylon
- Hub-Cap Filter Kit



# Sample Preparation

- SPE Florisil® Cartridges
- CarboPrep™ Reversing SPE Cartridges
- Closed End SPE Cartridges: Activated Sodium Sulfate
- SPE GHB Cartridges
- Sodium Sulfate Bulk Adsorbent
- Replacement Waste Container for 12-Port SPE Manifold
- Cellulose Acetate Syringe Filters
- PVDF Syringe Filters
- Norm-Ject® Plastic Syringes
- Resprep™ 22mL Extraction Cell Kit for ASE® 200 Systems—Stainless Steel & Siltek® Treated
- Resprep™ Funnel for Extraction Cells



# Analytical Reference Materials

- PBDE Mix
- CARB 1004 Aldehyde/Ketone-DNPH Calibration Standard
- DNPH Reference Materials
- 1,4-Dinitrobenzene, US EPA Method 8330B
- Nitroaromatics & Nitramine Explosives by HPLC, US EPA Method 8330B
- SOM01.1 VOA DMC Kit
- SOM01.1 VOA Ketone Deuterated Monitoring Compounds
- SOM01.1 VOA Non-Ketone Deuterated Monitoring Compounds
- Sulfur Simulated Distillation Standard
- Speciated Sulfur System Suitability Checkout Standard
- EPA Ultra Low & Low Sulfur Diesel Standards & Samples in Diesel Fuel to meet EPA Requirements for Lab Qualification
- Ultra Low & Low Sulfur in Diesel Fuel Calibration Kits
- Low Sulfur in Gasoline Calibration Standards
- Sulfur in Isooctane Calibration Kits & Check Standards
- Total Sulfur & Total Nitrogen in Isooctane Calibration Kits
- Sulfur in Mineral Oil Calibration Kits & Check Standards
- Exempted Drug of Abuse Singles
- $\Delta^9$ -THC Standard
- 11-nor-9-carboxy-D-9-THC Standard
- Residual Solvents Class 1 Mix
- Residual Solvents Class 2, Mix B
- USP <467> Singles
- Derivatization Reagents: Acylation
- Derivatization Reagents: Alkylation
- Derivatization Reagents: Silylation
- Dimethachlor ESA Sodium Salt, Method 535
- Butachlor ESA Sodium Salt, Method 535
- Method 535 Singles
- Method 525 Singles
- 0.16 $\mu$ g/dL Forensic Ethanol Solution (blood alcohol)
- DCG Mix Oxy Set Up Blend, ASTM D6730 SCE



## Applications

**Too many to list!** For New HPLC and GC Applications request our 2008 catalog or visit us online at [www.restek.com](http://www.restek.com).

# Air Monitoring

- TO-Can™ Canisters w/Swagelok® Bellows-Sealed Valves
- Replacement Swagelok® Bellows-Sealed Valve
- Ashcroft Test Gauges
- Canister Air Sampling Timer
- Thermal Desorption Unit Tubes and Accessories
- PUF Cartridges
- Cali-5-Bond Gas Sampling Bags
- Gas Standards in PI-marked Cylinders
- Sulfur 5-Component Mix
- TO-14/TO-15/TO-17 Performance Test Mix
- Sulfinert® Treated Ultra-High Pressure Sample Cylinders & Valves



# Restek Performance Coatings

Restek Performance Coatings continue to supply solutions to a wide variety of industries:

- Silcosteel® HotHead coatings are now being offered to address issues with oxidation in high temperature environments.
- Siltek® coatings are providing inert sample pathways for manufacturers of mercury analyzers.
- Sulfinert® coatings provide the most inert surfaces for transfer of sulfur containing streams, providing a valuable service for samplers used by refineries, bottlers, and the oil and natural gas exploration industries.

Restek Trademarks: CarboPrep, MXT, pHidelity, Pinnacle, Precision, Resprep, Restek logo, Rt, Rtx, Rxi, Silcosteel, Siltek, Stx, Sulfinert, TO-Can, Uniliner.

Other Trademarks: ASE (Dionex Corp.), Vespel (E.I. du Pont de Nemours & Co., Inc.), NORM-JECT (Henke-Sass, Wolf GmbH Ltd.), Super-Clean (SGT Middleburg BV), Swagelok (Swagelok Co.), Florisil (US Silica Co.).



Lit. Cat.# GNTS1039-INT

© 2008 Restek Corporation.



www.chromtech.net.au E-mail : info@chromtech.net.au Tel : +61 3 9762 2034 Fax : +61 3 9761 1169