

**Hypo SS Tube Cutter ~  
AUD3500 2022-11**



**General description**

The SSI Model TC-20 electric stainless steel tube cutter assures a zero dead volume connection. Because the tubing is held securely in a clamp vise on the vertical swing arm, a square cut is produced when the swing arm is lowered against the abrasive cutting wheel, which produces a finished end. No lubricant or cutting fluid is required. The unit, which is CE marked, will cut most common tubing used in chromatography. Tubing with 1/16 in., 1/8 in., and 1/4 in. outside diameter, can be smooth-cut and dressed without distortion. The precision ground dressing tool for the 1/16 in. O.D. tubing is included and is attached directly to the swing arm: it cannot be misplaced or lost. A dressing tool (deburring tool - Cat. No. 58804) for 1/8 in. diameter can be ordered separately.

*Electrically operated  
bench-top model  
Includes handy 0.0625 in.  
dressing tool on the swing  
arm which removes burrs  
and reams tubing  
Voltage selectable:  
110 to 120V or 220 to 240V,  
50 to 60Hz  
Dimensions: 20.3 x 15.9 x  
10.8cm (8 x 6.25 x 4.25 in.)  
Weight: 5kg (11lb.)*

**HROMalytic** +61(0)3 9762 2034  
**ECHnology** Pty Ltd

**Australian Distributors**  
Importers & Manufacturers  
[www.chromtech.net.au](http://www.chromtech.net.au)

Website NEW : [www.chromalytic.net.au](http://www.chromalytic.net.au) E-mail : [info@chromtech.net.au](mailto:info@chromtech.net.au) Tel: 03 9762 2034 . . . in AUSTRALIA