

Packed/Micropacked Column Custom Order Form

Order: _____ Quote: _____ Reference # from previous order (if available): _____

Date: _____

Restek Account #: _____

Contact: _____

Company: _____

Address: _____

Phone: _____

Fax: _____

Restek Use Only:

Custom No.: _____

Stock No.: _____

Price: _____

Fitting Costs: _____

Authorization: _____

Number of Columns: _____

1) Column Dimensions:

Length _____ OD x ID: _____

2) Tubing (choose one): SilcoSmooth™ Stainless Steel Hastelloy® Nickel Copper Teflon®

3) Packing Description:

Liquid Phase A (% + description): _____

Liquid Phase B (% + description): _____

Liquid Phase C (% + description): _____

Solid Support: _____ Mesh: _____

4) Column Configuration:

Instrument (mfr. + model): _____

Inlet: Packed Full? Yes No, leave _____" void (for on-column injection)

Outlet: Packed Full? Yes No, leave _____" void

Do you want this column preconditioned? Yes (additional charge) No

Standard configuration suffix number (next page): _____

Special configuration (next page): Figure: _____ Dimensions: _____

Welded Tubing Reducers (additional charge)

Special Instructions: _____

Fittings (check appropriate circle)

KIT 1S

1/4" brass nuts
1/4" to 1/8" V/G reducing ferrules
No additional charge

KIT 2S

1/4" brass nuts
1/4" to 3/16" V/G reducing ferrules
No additional charge

KIT A

1/8" brass nuts
1/8" V/G ferrules
No additional charge

KIT B

1/8" brass nuts
1/8" brass front & back ferrules
No additional charge

KIT C

1/8" stainless steel nuts
1/8" stainless steel front & back ferrules
Additional charge

KIT D

1/8" stainless steel nuts
1/8" V/G ferrules
Additional charge

KIT E

1/4" stainless steel nuts
1/4" to 1/8" V/G reducing ferrules
Additional charge

KIT F

1/4" stainless steel nuts
1/4" to 3/16" V/G reducing ferrules
Additional charge

KIT V

1/8" VCR fitting
check appropriate circle:
 Stainless Steel (additional charge)
 Nickel (additional charge)


for a **quote:**

Complete this form and fax to Restek at 814-353-1309, or to your Restek representative.

V/G = Vespel®/graphite

Standard Configurations (choose one)

General Configuration




Agilent 5880, 5890, 5987, 6890, 7890




Varian 3700, Vista Series, FID



PE 900-3920, Sigma 1,2,3



PE Auto System 8300, 8400, 8700



- 810 Agilent 5880, 5890, 5987, 6890, 7890
- 811 Agilent 6850
- 820 Varian 3700, Vista Series, FID
- 821 Varian 3800
- 830 PerkinElmer 900-3920, Sigma 1,2,3
- 840 PerkinElmer Auto System 8300, 8400, 8700, Clarus 500 (C500)
- 841 PerkinElmer Auto Sys XL
- 845 ABB 3100, AAI (4" coil)
- 850 Shimadzu 14A, 2014
- 851 Shimadzu 8A

- 852 Shimadzu 9A
- 853 Shimadzu 17A, 2010
- 854 Shimadzu Mini 2
- 860 Thermo Scientific - TRACE 2000
- 865 Carlo Erba
- 870 Tremetrics/Tracor
- 874 HNU 310 & 311 (4.5" coil)
- 875 Analytical Controls Configuration
- 880 Carle 40030
- 881 Hitachi 263
- 885 Pye Unicam 4500

- 890 Gow Mac 590
- 891 Gow Mac 550
- 892 Gow Mac 750
- 893 Gow Mac 816 (3" coil, 3" spread on the arms, and a total height of 5")
- 894 Gow Mac 580
- 895 SRI 8610C
- 895R SRI 8610C Dual GC Right Side
- 895L SRI 8610C Dual GC Left Side
- 896 SRI 9300

Custom Configurations (Please provide dimensions on order form, page 132.)

