


## Alcoholic Beverage Standard: Acids and Esters Stabilwax®-DA



Column: Stabilwax®-DA, 30m, 0.18mm ID, 0.18 $\mu$ m (cat.# 550752)  
 Inj.: 1 $\mu$ L splitless (hold 0.5 min.) at conc. shown in peak list, in ethyl acetate, 4mm ID splitless liner w/wool (cat.# 20814-202.1)  
 Inj. temp.: 240°C  
 Carrier gas: hydrogen  
 Make-up gas: nitrogen  
 Linear velocity: 28psi @ 240°C  
 Oven temp.: 70°C to 240°C at 12°C/min. (hold 3 min.)  
 Det.: FID

### free literature

#### Analyzing Alcoholic Beverages by Gas Chromatography

*Selectivity, sensitivity, and minimal sample preparation make GC a powerful tool for monitoring alcoholic beverage composition*

Volatile component profiles of alcoholic beverages reveal a wide range of compounds: acids, alcohols, aldehydes, and others. This 16-page guide describes packed column GC and capillary GC approaches to monitoring these complex mixtures of analytes. A separate section is devoted to detailed information about quantifying trace sulfur compounds in beer.

Technical Guide  
 lit. cat.# 59462

Searching for free technical literature?

[www.restek.com](http://www.restek.com)