

Pennsylvania

**PA DEP UST Standard** (11 components)

benzene	naphthalene
1,2-dibromoethane	toluene
1,2-dichloroethane	<i>m</i> -xylene
ethylbenzene	<i>o</i> -xylene
isopropyl benzene	<i>p</i> -xylene
methyl <i>tert</i> -butyl ether (MTBE)	

2,000µg/mL each in P&T methanol, 1mL/ampul  
cat. # 30433 (ea.)

Tennessee/Mississippi

**DRO Mix (Tennessee/Mississippi)** (16 components)

<i>n</i> -decane (C10)	<i>n</i> -octadecane (C18)
<i>n</i> -undecane (C11)	<i>n</i> -nonadecane (C19)
<i>n</i> -dodecane (C12)	<i>n</i> -eicosane (C20)
<i>n</i> -tridecane (C13)	<i>n</i> -heneicosane (C21)
<i>n</i> -tetradecane (C14)	<i>n</i> -docosane (C22)
<i>n</i> -pentadecane (C15)	<i>n</i> -tricosane (C23)
<i>n</i> -hexadecane (C16)	<i>n</i> -tetracosane (C24)
<i>n</i> -heptadecane (C17)	<i>n</i> -pentacosane (C25)

1,000µg/mL each in methylene chloride, 1mL/ampul  
cat. # 31214 (ea.)

**Gasoline Component Standard** (10 components)

benzene	500µg/mL	1,2,4-trimethylbenzene	1,000
ethylbenzene	500	2,2,4-trimethylpentane	1,500
heptane	500	<i>m</i> -xylene	1,000
2-methylpentane	1,500	<i>o</i> -xylene	1,000
toluene	1,500	<i>p</i> -xylene	1,000

10,000µg/mL total in P&T methanol, 1mL/ampul  
cat. # 30486 (ea.)

Texas

**Texas TNRCC Method 1006**

**TNRCC 1006 Retention Time Marker Mix** (9 components)

<i>n</i> -hexane (C6)	<i>n</i> -hexadecane (C16)
<i>n</i> -heptane (C7)	<i>n</i> -heneicosane (C21)
<i>n</i> -octane (C8)	<i>n</i> -octacosane (C28)
<i>n</i> -decane (C10)	<i>n</i> -pentatriacontane (C35)
<i>n</i> -dodecane (C12)	

200µg/mL in pentane, 1mL/ampul  
cat. # 31814 (ea.)

Texas *cont'd*

**Texas TNRCC Method 1005**

**TNRCC 1005 Retention Time Markers Mix** (4 components)

<i>n</i> -hexane (C6)	<i>n</i> -octacosane (C28)
<i>n</i> -dodecane (C12)	<i>n</i> -pentatriacontane (C35)

200µg/mL each in pentane, 1mL/ampul  
cat. # 31698 (ea.)

**TX TPH Locator Mix** (3 components)

<i>n</i> -hexane (C6)	<i>n</i> -octacosane (C28)
<i>n</i> -decane (C10)	

200µg/mL each in pentane, 1mL/ampul  
cat. # 31482 (ea.)

**TX TPH Calibration Mix** (2 components)

diesel fuel #2 composite	unleaded gasoline composite
--------------------------	-----------------------------

10,000µg/mL each in pentane, 1mL/ampul  
cat. # 31483 (ea.)

**TX TPH Matrix Spike Mix** (2 components)

diesel fuel #2 composite	unleaded gasoline composite
--------------------------	-----------------------------

10,000µg/mL each in P&T methanol, 1mL/ampul  
cat. # 31484 (ea.)

**Alternate Boiling Point/Carbon Number Distribution Marker Stock Standard** (9 components)

<i>n</i> -hexane (C6)	<i>n</i> -heneicosane (C21)
<i>n</i> -octane (C8)	<i>n</i> -octacosane (C28)
<i>n</i> -decane (C10)	<i>n</i> -pentatriacontane (C35)
<i>n</i> -dodecane (C12)	<i>n</i> -hexatriacontane (C36)
<i>n</i> -hexadecane (C16)	

200µg/mL each in pentane, 1mL/ampul  
cat. # 31639 (ea.)

**α,α,α-Trifluorotoluene**

2,000µg/mL in P&T methanol, 1mL/ampul	cat. # 30048 (ea.)
2,500µg/mL in P&T methanol, 1mL/ampul	cat. # 30068 (ea.)
10,000µg/mL in P&T methanol, 1mL/ampul	cat. # 30083 (ea.)

**1-Chlorooctane**

10,000µg/mL in P&T methanol, 1mL/ampul	cat. # 30084 (ea.) \$26
--	-------------------------

**1-Chlorooctadecane**

10,000µg/mL in methylene chloride, 1mL/ampul	cat. # 31098 (ea.) \$30
--	-------------------------



Don't see the UST mix you need? We can custom blend a UST mix to meet the requirements of your method. Visit our web site at [www.restek.com/solutions](http://www.restek.com/solutions)