



Swagelok® Fittings

Restek is pleased to offer one of the premier lines of fittings available for chromatographers in the market today. We can supply the entire line of Swagelok® fittings. If you don't see the exact product you're looking for, please call us for a quote.



nut



front ferrule



back ferrule



nut & ferrule set



plug



union



reducing union



tee



cross



tube end reducer



port connector



male connector



female connector



male quick coupling



female quick coupling

Fitting Type	Size	Swagelok #	qty.	Brass		316 Grade Stainless Steel	
				cat.#	price	qty.	cat.#
Nut	1/16"	102-1	20-pk.	23100		5-pk.	23150
	1/8"	202-1	40-pk.	23101		10-pk.	23151
	1/4"	402-1	40-pk.	23102		10-pk.	23152
Front Ferrule	1/16"	103-1	20-pk.	23103		10-pk.	23153
	1/8"	203-1	40-pk.	23104		20-pk.	23154
	1/4"	403-1	40-pk.	23105		20-pk.	23155
Back Ferrule	1/16"	104-1	20-pk.	23106		10-pk.	23156
	1/8"	204-1	40-pk.	23107		20-pk.	23157
	1/4"	404-1	40-pk.	23108		20-pk.	23158
Nut & Ferrule Set	1/16"	—	10-pk.	23109		2-pk.	23159
	1/8"	—	20-pk.	23110		5-pk.	23160
	1/4"	—	20-pk.	23111		5-pk.	23161
Plug	1/16"	100-P	5-pk.	23112		2-pk.	23162
	1/8"	200-P	10-pk.	23113		4-pk.	23163
	1/4"	400-P	10-pk.	23114		4-pk.	23164
Union	1/16"	100-6	3-pk.	23115		ea.	23165
	1/8"	200-6	5-pk.	23116		2-pk.	23166
	1/4"	400-6	5-pk.	23117		2-pk.	23167
Reducing Union	1/8" to 1/16"	200-6-1	5-pk.	23118		ea.	23168
	1/4" to 1/16"	400-6-1	5-pk.	23119		2-pk.	23169
	1/4" to 1/8"	400-6-2	5-pk.	23120		2-pk.	23170
Tee	1/16"	100-3	2-pk.	23121		ea.	23171
	1/8"	200-3	2-pk.	23122		ea.	23172
	1/4"	400-3	2-pk.	23123		ea.	23173
Cross	1/8"	200-4	2-pk.	23124		ea.	23174
	1/4"	400-4	2-pk.	23125		ea.	23175
Tube End Reducer	1/8" to 1/16"	100-R-2	5-pk.	23126		2-pk.	23176
	1/4" to 1/16"	100-R-4	5-pk.	23127		2-pk.	23177
	1/8" to 1/4"	400-R-2	5-pk.	23128		2-pk.	23178
	1/4" to 1/8"	200-R-4	5-pk.	23129		2-pk.	23179
Port Connector	1/8"	201-PC	5-pk.	23130		2-pk.	23180
	1/4"	401-PC	10-pk.	23131		2-pk.	23181
	1/8" to 1/4"	401-PC-2	5-pk.	23132		2-pk.	23182
Male Connector	1/8" to 1/8" NPT	200-1-2	10-pk.	23133		2-pk.	23183
	1/4" to 1/4" NPT	400-1-4	10-pk.	23134		2-pk.	23184
	1/16" to 1/8" NPT	100-1-2	5-pk.	23135		2-pk.	23185
	1/8" to 1/4" NPT	200-1-4	10-pk.	23136		2-pk.	23186
	1/4" to 1/8" NPT	400-1-2	10-pk.	23137		2-pk.	23187
Female Connector	1/8" to 1/8" NPT	200-7-2	5-pk.	23138		2-pk.	23188
	1/4" to 1/4" NPT	400-7-4	5-pk.	23139		2-pk.	23189
	1/4" to 1/8" NPT	400-7-2	5-pk.	23140		2-pk.	23190
Male & Female Quick Couplings	1/8" male*	QC4D-200	—	—	—	ea.	23191
	1/8" male	QC4S-200	—	—	—	ea.	23192
	1/8" female*	QC4B-200	—	—	—	ea.	23193
	1/4" male*	QC4D-400	—	—	—	ea.	23194
	1/4" male	QC4S-400	—	—	—	ea.	23195
1/4" female*	QC4B-400	—	—	—	ea.	23196	

*Includes self-sealing shut-off valve.

also available

Restek also carries specialized tools for Swagelok® fittings. See page 249.

Siltek®/Sulfinert® and Silcosteel®-CR Treated Swagelok® Fittings

- Full line of treated 1/16", 1/8", and 1/4" fittings.
- Silcosteel®-CR treatment enhances corrosion resistance by 10x, or more.
- Custom treatment available for any Swagelok® fitting, or other system parts not listed here (call for details).
- Description of custom Restek coatings listed below.

Fitting Type	Size	Swagelok #	Siltek/Sulfinert Treated			Silcosteel-CR Treated		
			qty.	cat.#	price	qty.	cat.#	price
Union	1/16"	SS-100-6	ea.	22540		ea.	22575	
	1/8"	SS-200-6	ea.	22541		ea.	22576	
	1/4"	SS-400-6	ea.	22542		ea.	22577	
	3/8"	SS-600-6	ea.	22909		ea.	22904	
Tee	1/16"	SS-100-3	ea.	22543		ea.	22578	
	1/8"	SS-200-3	ea.	22544		ea.	22579	
	1/4"	SS-400-3	ea.	22545		ea.	22580	
	3/8"	SS-600-3	ea.	22910		ea.	22905	
Reducing Union	1/8" to 1/16"	SS-200-6-1	ea.	22546		ea.	22581	
	1/4" to 1/16"	SS-400-6-1	ea.	22547		ea.	22582	
	1/4" to 1/8"	SS-400-6-2	ea.	22548		ea.	22583	
	3/8" to 1/4"	SS-600-6-4	ea.	22911		ea.	22906	
Elbow	1/8"	SS-200-9	ea.	22549		ea.	22584	
	1/4"	SS-400-9	ea.	22550		ea.	22585	
Plug	1/8"	SS-200-P	ea.	22573		ea.	22620	
	1/4"	SS-400-P	ea.	22574		ea.	22597	
Cross	1/8"	SS-200-4	ea.	22551		ea.	22586	
	1/4"	SS-400-4	ea.	22552		ea.	22587	
Tube End Reducer	1/8" tube to 1/16"	SS-100-R-2	ea.	22553		ea.	22588	
	1/4" tube to 1/16"	SS-100-R-4	ea.	22554		ea.	22589	
	1/8" tube to 1/4"	SS-400-R-2	ea.	22555		ea.	22590	
	1/4" tube to 1/8"	SS-200-R-4	ea.	22556		ea.	22591	
Port Connector	1/8"	SS-201-PC	ea.	22557		ea.	22592	
	1/4"	SS-401-PC	ea.	22558		ea.	22593	
	1/8" tube to 1/4"	SS-401-PC-2	ea.	22559		ea.	22594	
Male Connector	1/8" to 1/8" NPT	SS-200-1-2	ea.	22561		ea.	22595	
	1/4" to 1/4" NPT	SS-400-1-4	ea.	22562		ea.	22596	
	1/16" to 1/8" NPT	SS-100-1-2	ea.	22563		ea.	22610	
	1/8" to 1/4" NPT	SS-200-1-4	ea.	22564		ea.	22611	
	1/4" to 3/8" NPT	SS-400-1-2	ea.	22565		ea.	22612	
	3/8" to 3/8" NPT	SS-600-1-6	ea.	22912		ea.	22907	
Female Connector	1/8" to 1/8" NPT	SS-200-7-2	ea.	22566		ea.	22613	
	1/4" to 1/4" NPT	SS-400-7-4	ea.	22567		ea.	22614	
	1/4" to 1/8" NPT	SS-400-7-2	ea.	22568		ea.	22615	
	1/8" to 1/4" NPT	SS-200-7-4	ea.	22569		ea.	22616	
Bulkhead Union	1/8"	SS-200-61	ea.	22570		ea.	22617	
	1/4"	SS-400-61	ea.	22571		ea.	22618	



Custom Restek Coatings

- **Siltek®**—The ultimate passivation of treated surfaces, from glass to high nickel alloys of steel; ideal for sulfurs, automotive exhaust testing, or stack gas sampling.
- **Sulfinert®**—A required treatment for metal components when analyzing for parts-per-billion levels of organo-sulfur compounds.
- **Silcosteel®-CR**—A corrosion resistant layer that increases the lifetime of system components in acidic environments containing hydrochloric acid, nitric acid, or seawater.

For more information on our custom coatings, see page 242.





Parker Fittings

Parker's (A-Lok) two-piece ferrules and NPT fittings are ideal for installing new equipment, modifying existing instrumentation, or replacing worn connections. Restek offers both brass and stainless steel fittings. If there is a particular Parker fitting that you are looking for and it is not listed here, please contact us to inquire about availability.

Fitting Type	Size	Parker #	qty.	Brass		316 Grade Stainless Steel	
				cat.#	price	qty.	cat.#
Nut	1/16"	1 Nu 1	20-pk.	21800		5-pk.	21900
	1/8"	2 Nu 2	40-pk.	21801		10-pk.	21901
	1/4"	4 Nu 4	40-pk.	21802		10-pk.	21902
Front Ferrule	1/16"	1 FF 1	20-pk.	21803		10-pk.	21903
	1/8"	2 FF 2	40-pk.	21804		20-pk.	21904
	1/4"	4 FF 4	40-pk.	21805		20-pk.	21905
Back Ferrule	1/16"	1 BF 1	20-pk.	21806		10-pk.	21906
	1/8"	2 BF 2	40-pk.	21807		20-pk.	21907
	1/4"	4 BF 4	40-pk.	21808		20-pk.	21908
Nut & Ferrule Set	1/16"	—	10-pk.	21809		2-pk.	21909
	1/8"	—	20-pk.	21810		5-pk.	21910
	1/4"	—	20-pk.	21811		5-pk.	21911
Plug	1/16"	1 BLP 1	5-pk.	21815		2-pk.	21915
	1/8"	2 BLP 2	10-pk.	21816		4-pk.	21916
	1/4"	4 BLP 4	10-pk.	21817		4-pk.	21917
Union	1/16"	1 SC 1	3-pk.	21818		ea.	21918
	1/8"	2 SC 2	5-pk.	21819		2-pk.	21919
	1/4"	4 SC 4	5-pk.	21820		2-pk.	21920
Reducing Union	1/8" to 1/16"	2 RU 1	5-pk.	21823		ea.	21923
	1/4" to 1/16"	4 RU 1	5-pk.	21824		2-pk.	21924
	1/4" to 1/8"	4 RU 2	5-pk.	21825		2-pk.	21925
Tee	1/16"	1 ET 1	2-pk.	21826		ea.	21926
	1/8"	2 ET 2	2-pk.	21827		ea.	21927
	1/4"	4 ET 4	2-pk.	21828		ea.	21928
Cross	1/4"	2 ECR 2	2-pk.	21829		ea.	21929
	1/4"	4 ECR 4	2-pk.	21830		ea.	21930
Tube End Reducer	1/8" tube to 1/16"	2 TUR 1	5-pk.	21831		2-pk.	21931
	1/4" tube to 1/16"	4 TUR 1	5-pk.	21832		2-pk.	21932
	1/8" tube to 1/4"	2 TUR 4	5-pk.	21833		2-pk.	21933
	1/4" tube to 1/8"	4 TUR 2	5-pk.	21834		2-pk.	21934
Port Connector	1/8"	2 PC 2	5-pk.	21835		2-pk.	21935
	1/4"	4 PC 4	10-pk.	21836		2-pk.	21936
Male Connector	1/8" tube to 1/4"	2 PC 4	5-pk.	21837		2-pk.	21937
	1/8" to 1/8" NPT	2 MSC 2N	10-pk.	21841		2-pk.	21941
	1/4" to 1/4" NPT	4 MSC 4N	10-pk.	21842		2-pk.	21942
	1/16" to 1/8" NPT	1 MSC 2N	5-pk.	21843		2-pk.	21943
Female Connector	1/8" to 1/4" NPT	2 MSC 4N	10-pk.	21844		2-pk.	21944
	1/4" to 1/8" NPT	4 MSC 2N	10-pk.	21845		2-pk.	21945
	1/8" to 1/8" NPT	2 FSC 2N	5-pk.	21846		2-pk.	21946
	1/4" to 1/4" NPT	4 FSC 4N	5-pk.	21847		2-pk.	21947
Male & Female Quick Couplings	1/4" to 1/8" NPT	4 FSC 2N	5-pk.	21848		2-pk.	21948
	1/8" male*	2A-Q4VN	—	—	—	ea.	21957
	1/8" male	2A-Q4P	—	—	—	ea.	21958
	1/8" female*	2A-Q4CN	—	—	—	ea.	21959
	1/4" male*	4A-Q4VN	—	—	—	ea.	21960
	1/4" male	4A-Q4P	—	—	—	ea.	21961
	1/4" female*	4A-Q4CN	—	—	—	ea.	21962

*Includes self-sealing shut-off valve.


male & female quick couplings

Siltek®/Sulfinert® Treated and Silcosteel®-CR Treated Parker Fittings

A broad line of 1/16", 1/8" and 1/4" fittings are available with Siltek®/Sulfinert® or Silcosteel®-CR treatment. Because of expanding applications for these coatings, we have received many requests for a broader product offering. If you do not see everything you need, contact us for information on custom coating services.

Fitting Type	Size	Parker #	Siltek/Sulfinert Treated			Silcosteel-CR Treated		
			qty.	cat.#	price	qty.	cat.#	price
Union	1/16"	1 SC 1	ea.	22520		ea.	22863	
	1/8"	2 SC 2	ea.	22521		ea.	22864	
	1/4"	4 SC 4	ea.	22522		ea.	22865	
Tee	1/16"	1 ET 1	ea.	22526		ea.	22866	
	1/8"	2 ET 2	ea.	22527		ea.	22867	
	1/4"	4 ET 4	ea.	22528		ea.	22868	
Reducing Union	1/8" to 1/16"	2 RU 1	ea.	22523		ea.	22869	
	1/4" to 1/16"	4 RU 1	ea.	22524		ea.	22870	
	1/4" to 1/8"	4 RU 2	ea.	22525		ea.	22871	
Elbow	1/16"	1 EE 1	—	—	—	ea.	22874	
	1/8"	1 EE 2	ea.	22530		ea.	22875	
	1/4"	1 EE 4	ea.	22531		ea.	22876	
Plug	1/16"	1 BLP 1	ea.	21539		ea.	22877	
	1/8"	2 BLP 2	ea.	21540		ea.	22878	
	1/4"	4 BLP 4	ea.	21541		ea.	22879	
Cross	1/8"	2 ECR 2	ea.	21542		ea.	22872	
	1/4"	4 ECR 4	ea.	21543		ea.	22873	
Tube End Reducer	1/8" tube to 1/16"	2 TUR 1	ea.	21544		ea.	22880	
	1/4" tube to 1/16"	4 TUR 1	ea.	21545		ea.	22881	
	1/8" tube to 1/4"	2 TUR 4	ea.	21546		ea.	22882	
	1/4" tube to 1/8"	4 TUR 2	ea.	21547		ea.	22883	
Port Connector	1/8"	2 PC 2	ea.	21548		ea.	22884	
	1/4"	4 PC 4	ea.	21549		ea.	22885	
	1/8" tube to 1/4"	2 PC 4	ea.	21550		ea.	22886	
Male Connector	1/8" to 1/8" NPT	2 MSC 2N	ea.	21551		ea.	22887	
	1/4" to 1/4" NPT	4 MSC 4N	ea.	21552		ea.	22888	
	1/16" to 1/8" NPT	1 MSC 2N	ea.	21553		ea.	22889	
	1/8" to 1/4" NPT	2 MSC 4N	ea.	21554		ea.	22890	
	1/4" to 1/8" NPT	4 MSC 2N	ea.	21555		ea.	22891	
Female Connector	1/8" to 1/8" NPT	2 FSC 2N	ea.	21556		ea.	22892	
	1/4" to 1/4" NPT	4 FSC 4N	ea.	21557		ea.	22893	
	1/4" to 1/8" NPT	4 FSC 2N	ea.	21558		ea.	22894	
	1/8" to 1/4" NPT	2 FSC 4N	ea.	21559		ea.	22895	
Plug Valve, 2-Way	1/8"	2A PR4 VT SS	ea.	21586		—	—	—
	1/4"	4A PR4 VT SS	ea.	21587		—	—	—
Ball Valve, 2-Way	1/8"	2A B2LJ2 SSP	ea.	21588		—	—	—
	1/4"	4A B2LJ2 SSP	ea.	21589		—	—	—

Please note: Nuts and ferrules are not treated unless requested (custom parts). Nuts and ferrules normally are not in contact with sample pathway, and thus do not require coating.



Siltek®/Sulfinert® Treated Valco® Fittings

Fitting Type	Size	Siltek/Sulfinert Treated		
		qty.	cat.#	price
Valco Zero Dead Volume Tee	1/16"	ea.	22534	
	1/8"	ea.	22535	
Valco Zero Dead Volume Union	1/16"	ea.	22532	
	1/8"	ea.	22533	

