

TUBE-TO-TUBE



STRAIGHT THROUGH
PG-37



STRAIGHT THROUGH REDUCER
PG-38



ELBOW
PG-40



ELBOW REDUCER
PG-41



TEE
PG-41



TEE REDUCER
PG-42



Y
PG-44



MULTIPOINT
PG-45



PRESS-IN PLUGS
PG-46



ULTRASONICALLY WELDABLE BARBS
PG-47



PANEL MOUNTS & ACCESSORIES
PG-47



CUSTOM TUBE-TO-TUBE FITTINGS
PG-35



TUBE-TO-TUBE

Tube-to-tube fittings join lengths of tubing and are available, depending on the Series, in versions to fit the following tubing IDs and barb configurations

Value Plastics tube-to-tube fittings are available in 11 different basic configurations and 4 different barb styles to fit 6 IDs of tubing between 1/16" (1.6 mm) and 1/4" (6.4 mm) tubing IDs. They are available from stock most commonly in nylon, polypropylene, polycarbonate and PVDF. Other materials are available on special order.

AVAILABLE BARB STYLES

| Tube ID | Classic | 200 Series | 400 Series | 500 Series |
|----------------|---------|------------|------------|------------|
| 1/16" (1.6 mm) | X | X | X | X |
| 3/32" (2.4 mm) | X | X | X | X |
| 1/8" (3.2 mm) | X | X | X | X |
| 5/32" (4.0 mm) | X | X | X | X |
| 3/16" (4.8 mm) | X | X | X | X |
| 1/4" (6.4 mm) | X | X | X | X |
| 5/16" (8.0 mm) | | | | X |

Material Suffix Key

| | | | |
|--------------------------|--------------------------------------|-------------------------|--------------------|
| -1 White Nylon | -10 Acetal | -2 Black Nylon | -3 Red Nylon |
| -4 Green Nylon | -5 Blue Nylon | -06 Orange Nylon | -07 Yellow Nylon |
| -6 Natural Polypropylene | -6005 Animal-Free Polypropylene | -8003 Natural ABS | -81 Lace White ABS |
| -9 Clear Polycarbonate | -9002 Radiation Stable Polycarbonate | -J1A Natural Kynar PVDF | |

N004 (-1 -2 -6 -9 -J1A)

Straight Through Connector with 500 Series Barbs, 1/16" (1.6 mm) ID Tubing


N210 (-1 -2 -6 -9 -J1A)

Straight Through Connector with 200 Series Barbs, 1/16" (1.6 mm) ID Tubing


N410 (-1 -2 -6 -J1A)

Straight Through Connector with 400 Series Barbs, 1/16" (1.6 mm) ID Tubing


AA (-1 -2 -6 -9 -J1A)

Straight Through Connector with Classic Series Barbs, 1/16" (1.6 mm) ID Tubing


N007 (-1 -2 -6 -6005 -9 -J1A)

Straight Through Connector with 500 Series Barbs, 3/32" (2.4 mm) ID Tubing


N220 (-1 -2 -6 -9 -9002 -J1A)

Straight Through Connector with 200 Series Barbs, 3/32" (2.4 mm) ID Tubing


N420 (-1 -2 -6 -J1A)

Straight Through Connector with 400 Series Barbs, 3/32" (2.4 mm) ID Tubing


DD (-1 -2 -6 -9 -J1A)

Straight Through Connector with Classic Series Barbs, 3/32" (2.4 mm) ID Tubing


N013 (-1 -2 -6 -6005 -9 -J1A -9002)

Straight Through Connector with 500 Series Barbs, 1/8" (3.2 mm) ID Tubing


N230 (-1 -2 -3 -5 -6 -9 -J1A)

Straight Through Connector with 200 Series Barbs, 1/8" (3.2 mm) ID Tubing


N430 (-1 -2 -6)

Straight Through Connector with 400 Series Barbs, 1/8" (3.2 mm) ID Tubing


CC (-1 -2 -6 -9 -J1A)

Straight Through Connector with Classic Series Barbs, 1/8" (3.2 mm) ID Tubing


N025 (-1 -2 -6 -6005 -9 -J1A)

Straight Through Connector with 500 Series Barbs, 5/32" (4.0 mm) ID Tubing


N440 (-1 -2 -5 -6 -9 -J1A)

Straight Through Connector with 400 Series Barbs, 5/32" (4.0 mm) ID Tubing


4040 (-1 -2 -6 -9 -J1A)

Straight Through Connector with Classic Series Barbs, 5/32" (4.0 mm) ID Tubing


N035 (-1 -2 -6 -9 -J1A)

Straight Through Connector with 500 Series Barbs, 3/16" (4.8 mm) ID Tubing


5050 (-1 -2 -6 -9 -9002 -J1A)

Straight Through Connector with Classic Series Barbs, 3/16" (4.8 mm) ID Tubing


N055 (-1 -2 -6 -9 -J1A)

Straight Through Connector with 500 Series Barbs, 1/4" (6.4 mm) ID Tubing


6060 (-1 -2 -6 -9 -9002 -J1A)

Straight Through Connector with Classic Series Barbs, 1/4" (6.4 mm) ID Tubing


N065 (-1 -2 -6 -9 -J1A)

Straight Through Connector with 500 Series Barbs, 5/16" (8 mm) ID Tubing



Material Suffix Key

-1 White Nylon

-4 Green Nylon

-6 Natural Polypropylene

-9 Clear Polycarbonate

-10 Acetal

-5 Blue Nylon

-6005 Animal-Free Polypropylene

-9002 Radiation Stable Polycarbonate

-2 Black Nylon

-06 Orange Nylon

-8003 Natural ABS

-J1A Natural Kynar PVDF

-3 Red Nylon

-07 Yellow Nylon

-81 Lace White ABS

N007/004 (-1 -2 -6 -9 -J1A)

Straight Through Reduction Connector with 500 Series Barbs, 3/32" (2.4 mm) and 1/16" (1.6 mm) ID Tubing


N220/210 (-1 -2 -6 -9 -J1A)

Straight Through Reduction Connector with 200 Series Barbs, 3/32" (2.4 mm) and 1/16" (1.6 mm) ID Tubing


N420/410 (-1 -2 -6 -10 -J1A)

Straight Through Reduction Connector with 400 Series Barbs, 3/32" (2.4 mm) and 1/16" (1.6 mm) ID Tubing


AD (-1 -2 -6 -9 -J1A)

Straight Through Reduction Connector with Classic Series Barbs, 3/32" (2.4 mm) and 1/16" (1.6 mm) ID Tubing


N013/004 (-1 -2 -6 -9 -J1A)

Straight Through Reduction Connector with 500 Series Barbs, 1/8" (3.2 mm) and 1/16" (1.6 mm) ID Tubing


N230/210 (-1 -2 -6 -9 -J1A)

Straight Through Reduction Connector with 200 Series Barbs, 1/8" (3.2 mm) and 1/16" (1.6 mm) ID Tubing


N430/410 (-1 -2 -6 -J1A)

Straight Through Reduction Connector with 400 Series Barbs, 1/8" (3.2 mm) and 1/16" (1.6 mm) ID Tubing


AC (-0 -1 -2 -6 -9 -J1A)

Straight Through Reduction Connector with Classic Series Barbs, 1/8" (3.2 mm) and 1/16" (1.6 mm) ID Tubing


N025/004 (-1 -2 -6 -6005 -9 -J1A)

Straight Through Reduction Connector with 500 Series Barbs, 5/32" (4.0 mm) and 1/16" (1.6 mm) ID Tubing


T040 (-1 -2 -6 -9 -J1A)

Straight Through Reduction Connector with Classic Series Barbs, 5/32" (4.0 mm) and 1/16" (1.6 mm) ID Tubing


I050 (-1 -2 -6 -9 -J1A)

Straight Through Reduction Connector with Classic Series Barbs, 3/16" (4.8 mm) and 1/16" (1.6 mm) ID Tubing


N013/007 (-1 -2 -6 -9 -9002 -J1A)

Straight Through Reduction Connector with 500 Series Barbs, 1/8" (3.2 mm) and 3/32" (2.4 mm) ID Tubing


N230/220 (-1 -2 -6 -9 -J1A)

Straight Through Reduction Connector with 200 Series Barbs, 1/8" (3.2 mm) and 3/32" (2.4 mm) ID Tubing


N430/420 (-1 -2 -6 -J1A)

Straight Through Reduction Connector with 400 Series Barbs, 1/8" (3.2 mm) and 3/32" (2.4 mm) ID Tubing


DC (-1 -2 -6 -9)

Straight Through Reduction Connector with Classic Series Barbs, 1/8" (3.2 mm) and 3/32" (2.4 mm) ID Tubing


N025/007 (-1 -2 -6 -6005 -9 -J1A)

Straight Through Reduction Connector with 500 Series Barbs, 5/32" (4.0 mm) and 3/32" (2.4 mm) ID Tubing


T040 (-1 -2 -6 -9 -J1A)

Straight Through Reduction Connector with Classic Series Barbs, 5/32" (4.0 mm) and 3/32" (2.4 mm) ID Tubing


N035/007 (-1 -2 -6 -9 -J1A)

Straight Through Reduction Connector with 500 Series Barbs, 3/16" (4.8 mm) and 3/32" (2.4 mm) ID Tubing



TUBE-TO-TUBE:
Straight Through Reducer

Material Suffix Key

- 1 White Nylon
- 4 Green Nylon
- 6 Natural Polypropylene
- 9 Clear Polycarbonate

- 10 Acetal
- 5 Blue Nylon
- 6005 Animal-Free Polypropylene
- 9002 Radiation Stable Polycarbonate

- 2 Black Nylon
- 06 Orange Nylon
- 8003 Natural ABS
- J1A Natural Kynar PVDF

- 3 Red Nylon
- 07 Yellow Nylon
- 81 Lace White ABS

2050 (-1 -2 -6 -9 -J1A)

Straight Through Reduction Connector with Classic Series Barbs, 3/16" (4.8 mm) and 3/32" (2.4 mm) ID Tubing



N025/013 (-1 -2 -6 -6005 -9 -J1A)

Straight Through Reduction Connector with 500 Series Barbs, 5/32" (4.0 mm) and 1/8" (3.2 mm) ID Tubing



3040 (-1 -2 -6 -9 -J1A)

Straight Through Reduction Connector with Classic Series Barbs, 5/32" (4.0 mm) and 1/8" (3.2 mm) ID Tubing



N035/013 (-1 -2 -6 -6005 -81 -9 -J1A)

Straight Through Reduction Connector with 500 Series Barbs, 3/16" (4.8 mm) and 1/8" (3.2 mm) ID Tubing



3050 (-1 -2 -5 -6 -6005 -81 -9 -9002 -J1A)

Straight Through Reduction Connector with Classic Series Barbs, 3/16" (4.8 mm) and 1/8" (3.2 mm) ID Tubing




N055/013 (-1 -2 -6 -9 -J1A)

Straight Through Reduction Connector with 500 Series Barbs, 1/4" (6.4 mm) and 1/8" (3.2 mm) ID Tubing




3060 (-1 -2 -6 -6005 -9 -J1A)

Straight Through Reduction Connector with Classic Series Barbs, 1/4" (6.4 mm) and 1/8" (3.2 mm) ID Tubing



N070/013 (-0 -6 -9 -J1A)

Straight Through Reduction Connector with 500 Series Barbs, 3/8" (9.5 mm) and 1/8" (3.2 mm) ID Tubing



N035/025 (-1 -2 -6 -6005 -9 -J1A)

Straight Through Reduction Connector with 500 Series Barbs, 3/16" (4.8 mm) and 5/32" (4.0 mm) ID Tubing



4050 (-1 -2 -6 -9 -J1A)

Straight Through Reduction Connector with Classic Series Barbs, 3/16" (4.8 mm) and 5/32" (4.0 mm) ID Tubing



N055/025 (-1 -2 -6 -6005 -9 -J1A)

Straight Through Reduction Connector with 500 Series Barbs, 1/4" (6.4 mm) and 5/32" (4.0 mm) ID Tubing



4060 (-1 -2 -6 -9 -J1A)

Straight Through Reduction Connector with Classic Series Barbs, 1/4" (6.4 mm) and 5/32" (4.0 mm) ID Tubing



N065/025 (-1 -2 -6 -9 -J1A)

Straight Through Reduction Connector with 500 Series Barbs, 5/16" (8.0 mm) and 5/32" (4.0 mm) ID Tubing



N055/035 (-1 -2 -6 -9 -J1A)

Straight Through Reduction Connector with 500 Series Barbs, 1/4" (6.4 mm) and 3/16" (4.8 mm) ID Tubing



5060 (-1 -2 -6 -6005 -9 -9002 -J1A)

Straight Through Reduction Connector with Classic Series Barbs, 1/4" (6.4 mm) and 3/16" (4.8 mm) ID Tubing



TUBE-TO-TUBE

TUBE-TO-TUBE:
Straight Through Reducer

- | | |
|--------------------------|--------------------------------------|
| -1 White Nylon | -10 Acetal |
| -4 Green Nylon | -5 Blue Nylon |
| -6 Natural Polypropylene | -6005 Animal-Free Polypropylene |
| -9 Clear Polycarbonate | -9002 Radiation Stable Polycarbonate |

N065/035 (-1 -2 -6 -9 -J1A)

Straight Through Reduction Connector with 500 Series Barbs, 5/16" (8.0 mm) and 3/16" (4.8 mm) ID Tubing


N065/055 (-1 -2 -6 -9 -J1A)

Straight Through Reduction Connector with 500 Series Barbs, 5/16" (8.0 mm) and 1/4" (6.4 mm) ID Tubing


N070/055 (-0 -1 -6 -9)

Straight Through Reduction Connector with 500 Series Barbs, 3/8" (9.5 mm) and 1/4" (6.4 mm) ID Tubing


TUBE-TO-TUBE:
Elbow
L210 (-1 -2 -6 -9 -J1A)

Elbow Connector with 200 Series Barbs, 1/16" (1.6 mm) ID Tubing


L410 (-1 -2 -6 -J1A)

Elbow Connector with 400 Series Barbs, 1/16" (1.6 mm) ID Tubing


L10 (-1 -2 -6 -J1A)

Elbow Connector with Classic Series Barbs, 1/16" (1.6 mm) ID Tubing


L220 (-1 -2 -6 -9 -9002 -J1A)

Elbow Connector with 200 Series Barbs, 3/32" (2.4 mm) ID Tubing


L420 (-1 -2 -6 -J1A)

Elbow Connector with 400 Series Barbs, 3/32" (2.4 mm) ID Tubing


TUBE-TO-TUBE:
Elbow
Material Suffix Key

- | | |
|-------------------------|--------------------|
| -2 Black Nylon | -3 Red Nylon |
| -06 Orange Nylon | -07 Yellow Nylon |
| -8003 Natural ABS | -81 Lace White ABS |
| -J1A Natural Kynar PVDF | |

L20 (-1 -2 -6 -J1A)

Elbow Connector with Classic Series Barbs, 3/32" (2.4 mm) ID Tubing


L230 (-1 -2 -6 -9 -J1A)

Elbow Connector with 200 Series Barbs, 1/8" (3.2 mm) ID Tubing


L430 (-1 -2 -6 -J1A)

Elbow Connector with 400 Series Barbs, 1/8" (3.2 mm) ID Tubing


L30 (-1 -2 -6 -J1A)

Elbow Connector with Classic Series Barbs, 1/8" (3.2 mm) ID Tubing


L40 (-1 -2 -6 -J1A)

Elbow Connector with Classic Series Barbs, 5/32" (4.0 mm) ID Tubing


L440 (-2)

Elbow Connector with 400 Series Barbs, 5/32" (4.0 mm) ID Tubing


L50 (-1 -2 -6 -J1A)

Elbow Connector with Classic Series Barbs, 3/16" (4.8 mm) ID Tubing



TUBE-TO-TUBE:
Elbow

TUBE-TO-TUBE:
Elbow Reducer

Material Suffix Key

- 1 White Nylon
- 4 Green Nylon
- 6 Natural Polypropylene
- 9 Clear Polycarbonate

- 10 Acetal
- 5 Blue Nylon
- 6005 Animal-Free Polypropylene
- 9002 Radiation Stable Polycarbonate

- 2 Black Nylon
- 06 Orange Nylon
- 8003 Natural ABS
- J1A Natural Kynar PVDF

- 3 Red Nylon
- 07 Yellow Nylon
- 81 Lace White ABS

L60 (-1 -2 -6 -J1A)

Elbow Connector with Classic Series Barbs, 1/4" (6.4 mm) ID Tubing



TUBE-TO-TUBE:
Elbow Reducer

L220/210 (-1 -2 -6 -9 -J1A)

Elbow Reduction Connector with 200 Series Barbs, 3/32" (2.4 mm) and 1/16" (1.6 mm) ID Tubing



L420/410 (-1 -2 -6 -J1A)

Elbow Reduction Connector with 400 Series Barbs, 3/32" (2.4 mm) and 1/16" (1.6 mm) ID Tubing



L230/210 (-1 -2 -6 -9 -J1A)

Elbow Reduction Connector with 200 Series Barbs, 1/8" (3.2 mm) and 1/16" (1.6 mm) ID Tubing



L430/410 (-1 -2 -6 -J1A)

Elbow Reduction Connector with 400 Series Barbs, 1/8" (3.2 mm) and 1/16" (1.6 mm) ID Tubing



L230/220 (-1 -2 -6 -9 -J1A)

Elbow Reduction Connector with 200 Series Barbs, 1/8" (3.2 mm) and 3/32" (2.4 mm) ID Tubing



L430/420 (-1 -2 -6 -J1A)

Elbow Reduction Connector with 400 Series Barbs, 1/8" (3.2 mm) and 3/32" (2.4 mm) ID Tubing



L430/220 (-9002)

Elbow Reduction Connector with a 400 Series Barb, 1/8" (3 mm) and a 200 Series Barb, 3/32" (2.25 mm) ID Tubing



TUBE-TO-TUBE:

Tee

T210 (-1 -2 -6 -9 -J1A)

Tee Connector with 200 Series Barbs, 1/16" (1.6 mm) ID Tubing



T410 (-1 -2 -6 -J1A)

Tee Connector with 400 Series Barbs, 1/16" (1.6 mm) ID Tubing



T10 (-1 -2 -6 -J1A)

Tee Connector with Classic Series Barbs, 1/16" (1.6 mm) ID Tubing



T220 (-1 -2 -6 -9 -J1A)

Tee Connector with 200 Series Barbs, 3/32" (2.4 mm) ID Tubing



T420 (-1 -2 -6 -J1A)

Tee Connector with 400 Series Barbs, 3/32" (2.4 mm) ID Tubing



T20 (-1 -2 -6 -J1A)

Tee Connector with Classic Series Barbs, 3/32" (2.4 mm) ID Tubing



T230 (-1 -2 -5 -6 -9 -J1A)

Tee Connector with 200 Series Barbs, 1/8" (3.2 mm) ID Tubing



T430 (-1 -2 -6 -9002 -J1A)

Tee Connector with 400 Series Barbs, 1/8" (3.2 mm) ID Tubing



TUBE-TO-TUBE

TUBE-TO-TUBE:

Tee

TUBE-TO-TUBE:

Tee Reducer

Material Suffix Key

-1 White Nylon

-4 Green Nylon

-6 Natural Polypropylene

-9 Clear Polycarbonate

-10 Acetal

-5 Blue Nylon

-6005 Animal-Free Polypropylene

-9002 Radiation Stable Polycarbonate

-2 Black Nylon

-06 Orange Nylon

-8003 Natural ABS

-J1A Natural Kynar PVDF


-3 Red Nylon

-07 Yellow Nylon

-81 Lace White ABS

T013 (-6005)

Tee Connector with 500 Series Barbs, 1/8" (3.2 mm) ID Tubing




T30 (-1 -2 -6 -9 -J1A)

Tee Connector with Classic Series Barbs, 1/8" (3.2 mm) ID Tubing




T40 (-1 -2 -6 -J1A)

Tee Connector with Classic Series Barbs, 5/32" (4 mm) ID Tubing




T50 (-1 -2 -6 -J1A)

Tee Connector with Classic Series Barbs, 3/16" (4.8 mm) ID Tubing




T055 (-6005)

Tee Connector with 500 Series Barbs, 1/4" (6.4 mm) ID Tubing



T60 (-1 -2 -6 -J1A)

Tee Connector with Classic Series Barbs, 1/4" (6.4 mm) ID Tubing



T210/220 (-1 -2 -6 -9 -J1A)

Tee Reduction Connector with 200 Series Barbs, 1/16" (1.6 mm) and 3/32" (2.4 mm) ID Tubing




T410/420 (-1 -2 -6 -J1A)

Tee Reduction Connector with 400 Series Barbs, 1/16" (1.6 mm) and 3/32" (2.4 mm) ID Tubing



T420/410 (-1 -2 -6 -J1A)

Tee Reduction Connector with 400 Series Barbs, 3/32" (2.4 mm) and 1/16" (1.6 mm) ID Tubing



T220/210 (-1 -2 -6 -9 -J1A)

Tee Reduction Connector with 200 Series Barbs, 3/32" (2.4 mm) and 1/16" (1.6 mm) ID Tubing



T220R210 (-1 -2 -6 -9 -J1A)

Tee Reduction Connector with 200 Series Barbs, 3/32" (2.4 mm) and 1/16" (1.6 mm) ID Tubing



T420R410 (-1 -2 -6 -J1A)

Tee Reduction Connector with 400 Series Barbs, 3/32" (2.4 mm) and 1/16" (1.6 mm) ID Tubing



T430/410 (-1 -2 -6 -J1A)

Tee Reduction Connector with 400 Series Barbs, 1/8" (3.2 mm) and 1/16" (1.6 mm) ID Tubing



T230/210 (-1 -2 -6 -9 -J1A)

Tee Reduction Connector with 200 Series Barbs, 1/8" (3.2 mm) and 1/16" (1.6 mm) ID Tubing



TUBE-TO-TUBE

TUBE-TO-TUBE:
Tee Reducer

Material Suffix Key

- 1 White Nylon
- 4 Green Nylon
- 6 Natural Polypropylene
- 9 Clear Polycarbonate

- 10 Acetal
- 5 Blue Nylon
- 6005 Animal-Free Polypropylene
- 9002 Radiation Stable Polycarbonate

- 2 Black Nylon
- 06 Orange Nylon
- 8003 Natural ABS
- J1A Natural Kynar PVDF

- 3 Red Nylon
- 07 Yellow Nylon
- 81 Lace White ABS

T210/230 (-1 -2 -6 -9 -J1A)

Tee Reduction Connector with 200 Series Barbs, 1/16" (1.6 mm) and 1/8" (3.2 mm) ID Tubing



T410/430 (-1 -2 -6 -J1A)

Tee Reduction Connector with 400 Series Barbs, 1/16" (1.6 mm) and 1/8" (3.2 mm) ID Tubing



T230R210 (-1 -2 -6 -9 -J1A)

Tee Reduction Connector with 200 Series Barbs, 1/8" (3.2 mm) and 1/16" (1.6 mm) ID Tubing



T430R410 (-1 -2 -6 -J1A)

Tee Reduction Connector with 400 Series Barbs, 1/8" (3.2 mm) and 1/16" (1.6 mm) ID Tubing



T220/230 (-1 -2 -6 -9 -J1A)

Tee Reduction Connector with 200 Series Barbs, 3/32" (2.4 mm) and 1/8" (3.2 mm) ID Tubing



T420/430 (-1 -2 -6 -J1A)

Tee Reduction Connector with 400 Series Barbs, 3/32" (2.4 mm) and 1/8" (3.2 mm) ID Tubing



T230/220 (-1 -2 -6 -9 -J1A)

Tee Reduction Connector with 200 Series Barbs, 1/8" (3.2 mm) and 3/32" (2.4 mm) ID Tubing



T430/420 (-1 -2 -3 -6 -J1A)

Tee Reduction Connector with 400 Series Barbs, 1/8" (3.2 mm) and 3/32" (2.4 mm) ID Tubing



T230R220 (-1 -2 -6 -9 -J1A)

Tee Reduction Connector with 200 Series Barbs, 1/8" (3.2 mm) and 3/32" (2.4 mm) ID Tubing



T430R420 (-1 -2 -6 -J1A)

Tee Reduction Connector with 400 Series Barbs, 1/8" (3.2 mm) and 3/32" (2.4 mm) ID Tubing



T360/220 (-1 -2 -6 -9 -J1A)

Tee Reduction Connector with 200 and 300 Series Barbs, 1/4" (6.4 mm) and 3/32" (2.4 mm) ID Tubing



T360/230 (-1 -2 -6 -9 -J1A)

Tee Reduction Connector with 200 and 300 Series Barbs, 1/4" (6.4 mm) and 1/8" (3.2 mm) ID Tubing



T360/250 (-1 -2 -6 -9 -J1A)

Tee Reduction Connector with 200 and 300 Series Barbs, 1/4" (6.4 mm) and 3/16" (4.8 mm) ID Tubing



LARGER TEE REDUCERS - For larger Tee Reducers for 3/8" to 1" IDs refer to page 48...

TUBE-TO-TUBE

Material Suffix Key

-1 White Nylon

-4 Green Nylon

-6 Natural Polypropylene

-9 Clear Polycarbonate

-10 Acetal

-5 Blue Nylon

-6005 Animal-Free Polypropylene

-9002 Radiation Stable Polycarbonate

-2 Black Nylon

-06 Orange Nylon

-8003 Natural ABS

-J1A Natural Kynar PVDF

-3 Red Nylon

-07 Yellow Nylon

-81 Lace White ABS

Y210 (-1 -2 -6 -9 -J1A)

Y Connector with 200 Series Barbs, 1/16" (1.6 mm) ID Tubing



Y410 (-1 -2 -6 -J1A)

Y Connector with 400 Series Barbs, 1/16" (1.6 mm) ID Tubing



Y220 (-1 -2 -6 -9 -J1A)

Y Connector with 200 Series Barbs, 3/32" (2.4 mm) ID Tubing



Y420 (-1 -2 -6 -J1A)

Y Connector with 400 Series Barbs, 3/32" (2.4 mm) ID Tubing



Y230 (-1 -2 -3 -6 -9 -J1A)

Y Connector with 200 Series Barbs, 1/8" (3.2 mm) ID Tubing




Y430 (-1 -2 -6 -J1A)

Y Connector with 400 Series Barbs, 1/8" (3.2 mm) ID Tubing




Y013 (-6005)

Y Connector with 500 Series Barbs, 1/8" (3.2 mm) ID Tubing




Y240 (-1 -2 -6 -9 -J1A)

Y Connector with 200 Series Barbs, 5/32" (4.0 mm) ID Tubing



Y250 (-1 -2 -6 -9 -9002 -J1A)

Y Connector with 200 Series Barbs, 3/16" (4.8 mm) ID Tubing




Y450 (-1 -2 -6 -J1A)

Y Connector with 400 Series Barbs, 3/16" (4.8 mm) ID Tubing




Y260 (-1 -2 -6 -9 -9002 -J1A)

Y Connector with 200 Series Barbs, 1/4" (6.4 mm) ID Tubing



Y460 (-1 -2 -6 -9 -J1A)

Y Connector with 400 Series Barbs, 1/4" (6.4 mm) ID Tubing



Y055 (-6005)

Y Connector with 500 Series Barbs, 1/4" (6.4 mm) ID Tubing

